

Maryland

HA

421

.A35

1956-64

folio



Maryland
HA
421
.A35
1962
folia

Non-circulating
University of Maryland Library
College Park, Md.

PROVISIONAL VITAL STATISTICS TABLES. MARYLAND, 1962

Preliminary. Based on calendar year figures. Only births and deaths recorded in Maryland are included. Numbers and rates for some areas are subject to substantial revision when the final report, which includes more data and interstate corrections for non-resident births and deaths, is prepared. The final report will be available about September, 1963.

Division of Statistical Research and Records
Maryland State Department of Health
301 W. Preston Street
Baltimore 1, Maryland
January 31, 1963

U. OF MD. LIBRARY

DO NOT CIRCULATE

Maryland

HA

421

.A35

1962

folio

TABLE 1. DEATHS FOR SELECTED CAUSES BY RACE, MARYLAND, 1962 AND 1961*

CAUSE OF DEATH (7th Rev. International List No.)	Both Races			White			Nonwhite		
	1962	1961	Change	1962	1961	Change	1962	1961	Change
All Causes	28,208	27,462	+746	22,628	21,970	+658	5,580	5,492	+ 88
Diseases of the heart (400-443)	11,903	11,539	+364	10,031	9,658	+373	1,872	1,881	- 9
Malignant neoplasms (140-205)	4,584	4,511	+ 73	3,838	3,781	+ 57	746	730	+ 16
Vascular lesions of central nervous system (330-334)	2,217	2,279	- 62	1,777	1,832	- 55	440	447	- 7
All accidents (800-962)	1,414	1,294	+120	1,068	975	+ 93	346	319	+ 27
Motor Vehicle (810-835)	594	452	+142	453	354	+ 99	141	98	+ 43
Certain diseases of early infancy (760-776)	1,201	1,176	+ 25	744	708	+ 36	457	468	- 11
Influenza and pneumonia (480-493)	811	749	+ 62	578	542	+ 36	233	207	+ 26
Diabetes mellitus (260)	578	546	+ 32	449	449	-	129	97	+ 32
Arteriosclerosis (450)	499	515	- 16	449	465	- 16	50	50	-
Congenital malformations (750-759)	378	412	- 34	309	337	- 28	69	75	- 6
Cirrhosis of the liver (581)	352	330	+ 22	278	261	+ 17	74	69	+ 5
Suicide (970-979)	308	289	+ 19	280	267	+ 13	28	22	+ 6
Tuberculosis (001-019)	237	268	- 31	145	152	- 7	92	116	- 24
Nephritis and nephrosis (590-594)	196	229	- 33	135	149	- 14	61	80	- 19
Homicide (980-984)	178	144	+ 34	63	59	+ 4	115	85	+ 30
Syphilis (020-029)	56	76	- 20	30	34	- 4	26	42	- 16
Poliomyelitis (080)	-	3	- 3	-	3	- 3	-	-	-

* The preliminary figures (both years) refer to deaths which occurred in Maryland, except that deaths of Washington, D. C. residents in the Glenn Dale Tuberculosis Hospital have been deducted.




TABLE 2. DEATH RATES FOR SELECTED CAUSES BY RACE, MARYLAND, 1962 AND 1961*

CAUSE OF DEATH (7th Rev. International List No.)	Both Races			White			Nonwhite		
	1962	1961	Per Cent change	1962	1961	Per Cent change	1962	1961	Per Cent change
All Causes	8.7	8.6	+ 1.2	8.4	8.3	+ 1.2	10.2	10.2	-
Diseases of the heart (400-443)	365.7	361.9	+ 1.1	370.2	364.7	+ 1.5	343.0	348.1	- 1.5
Malignant neoplasms (140-205)	140.8	141.5	- 0.5	141.6	142.8	- 0.8	136.7	135.1	+ 1.2
Vascular lesions of central nervous system (330-334)	68.1	71.5	- 4.8	65.6	69.2	- 5.2	80.6	82.7	- 2.5
All accidents (800-962)	43.4	40.6	+ 6.9	39.4	36.8	+ 7.1	63.4	59.0	+ 7.5
Motor Vehicle (810-835)	18.2	14.2	+28.2	16.7	13.4	+24.6	25.8	18.1	+42.5
Certain diseases of early infancy (760-776)	36.9	36.9	-	27.5	26.7	+ 3.0	83.7	86.6	- 3.3
Influenza and pneumonia (480-493)	24.9	23.5	+ 6.0	21.3	20.5	+ 3.9	42.7	38.3	+11.5
Diabetes mellitus (260)	17.8	17.1	+ 4.1	16.6	17.0	- 2.4	23.6	18.0	+31.1
Arteriosclerosis (450)	15.3	16.2	- 5.6	16.6	17.6	- 5.7	9.2	9.3	- 1.1
Congenital malformations (750-759)	11.6	12.9	-10.1	11.4	12.7	-10.2	12.6	13.9	- 9.4
Cirrhosis of the liver (581)	10.8	10.4	+ 3.8	10.3	9.9	+ 4.0	13.6	12.8	+ 6.3
Suicide (970-979)	9.5	9.1	+ 4.4	10.3	10.1	+ 2.0	5.1	4.1	+24.4
Tuberculosis, all forms (001-019)	7.3	8.4	-13.1	5.4	5.7	- 5.3	16.9	21.5	-21.4
Nephritis and nephrosis (590-594)	6.0	7.2	-16.7	5.0	5.6	-10.7	11.2	14.8	-24.3
Homicide (980-984)	5.5	4.5	+22.2	2.3	2.2	+ 4.5	21.1	15.7	+34.4
Syphilis, all forms (020-029)	1.7	2.4	-29.2	1.1	1.3	-15.4	4.8	7.8	-38.5
Poliomyelitis (080)	-	0.09	-	-	0.11	-	-	-	-

* These preliminary figures (both years) refer to deaths which occurred in Maryland, except that deaths of Washington, D. C. residents in the Glenn Dale Tuberculosis Hospital have been deducted. Rates for specific causes are per 100,000 population; for all causes, per 1,000 population.




TABLE 3. DEATHS BY COUNTY FOR SELECTED CAUSES, MARYLAND, 1962

Area	All causes	Diseases of the heart	Malignant neoplasms	Vascular lesions of central nervous system	Accidents-excl. motor vehicle	Motor vehicle accidents	Influenza and pneumonia	Diabetes mellitus	Arteriosclerosis	Nephritis and nephrosis	Tuberculosis, all forms	Syphilis, all forms	Congenital malformations	Certain diseases of early infancy	Puerperal causes
Maryland State	28,208	11,903	4,584	2,217	820	594	811	578	499	196	237	56	378	1,201	16
Baltimore City	11,436	4,905	1,831	812	259	137	356	280	159	84	145	28	133	493	7
Total Counties	16,772	6,998	2,753	1,405	561	457	455	298	340	112	92	28	245	708	9
Allegany	996	493	165	84	30	19	14	18	22	5	3	1	14	25	-
Anne Arundel	1,371	554	230	88	36	36	39	38	21	10	10	6	21	66	1
Baltimore	3,311	1,411	631	244	70	56	77	68	55	25	12	1	57	143	1
Calvert	153	45	26	14	10	5	6	3	3	1	1	-	2	4	-
Caroline	217	82	30	23	15	5	10	2	7	1	1	-	2	5	1
Carroll	482	213	72	43	14	15	10	15	6	7	-	1	8	15	1
Cecil	456	203	61	34	20	15	10	7	6	3	2	1	6	20	1
Charles	274	102	34	24	14	15	8	6	9	-	5	1	2	18	-
Dorchester	382	162	42	46	18	5	15	3	6	1	1	1	4	24	-
Frederick	768	335	117	75	24	26	13	15	22	3	10	3	3	19	-
Garrett	248	124	22	22	11	6	5	2	16	-	3	1	2	8	-
Harford	537	210	90	33	20	33	18	10	6	3	6	1	10	37	-
Howard	279	115	41	18	26	7	8	2	3	1	4	-	5	17	-
Kent	212	80	34	27	7	4	5	7	5	-	2	-	1	10	-
Montgomery	2,351	894	500	215	52	38	57	23	61	16	6	4	53	70	-
Prince Georges	1,812	723	250	122	77	84	78	23	27	4	11	1	34	129	-
Queen Annes	168	81	18	9	10	9	6	2	6	2	2	1	2	6	-
Saint Marys	258	87	40	12	23	12	15	4	4	4	-	1	-	21	-
Somerset	290	107	38	36	19	5	13	7	6	6	1	1	4	5	2
Talbot	316	137	51	35	7	11	10	3	7	2	2	-	2	7	1
Washington	958	433	140	96	32	22	18	18	33	7	4	1	7	26	-
Wicomico	644	276	82	80	18	20	16	14	5	8	3	-	4	22	1
Worcester	289	131	39	25	8	9	4	8	4	3	3	2	2	11	-

* Includes events which occurred in Maryland only, except for Washington, D. C. residents dying in the Glenn Dale Tuberculosis Hospital. Events which were to a resident of the State have been assigned to the area of residence, but those to an out-of-State resident are assigned to the area of occurrence.




TABLE 4. DEATHS FROM ALL CAUSES, AND DEATH RATES BY RACE AND COUNTY, MARYLAND, 1962*

Area	ALL DEATHS			DEATH RATES (Per 1,000 Population)		
	Total	White	Nonwhite	Total	White	Nonwhite
Maryland State	28,208	22,628	5,580	8.7	8.4	10.2
Baltimore City	11,436	7,895	3,541	12.3	13.3	10.4
Total Counties	16,772	14,733	2,039	7.2	7.0	9.9
Allegany	996	986	10	12.0	12.1	8.4
Anne Arundel	1,371	1,126	245	6.1	5.9	7.7
Baltimore	3,311	3,142	169	6.2	6.1	9.7
Calvert	153	88	65	9.2	9.1	9.3
Caroline	217	163	54	11.0	10.4	13.3
Carroll	482	460	22	8.8	8.8	9.9
Cecil	456	408	48	8.8	8.4	15.3
Charles	274	180	94	7.9	7.8	8.2
Dorchester	382	281	101	12.7	13.5	10.8
Frederick	768	703	65	10.4	10.2	12.1
Garrett	248	248	-	12.3	12.3	-
Harford	537	476	61	6.6	6.5	7.6
Howard	279	249	30	7.3	7.2	7.3
Kent	212	147	65	13.3	12.3	16.3
Montgomery	2,351	2,200	151	6.2	6.0	10.9
Prince Georges	1,812	1,557	255	4.6	4.3	7.3
Queen Annes	168	116	52	9.8	9.3	11.3
Saint Marys	258	182	76	6.3	5.4	10.1
Somerset	290	188	102	15.0	15.6	14.0
Talbot	316	227	89	14.3	14.1	14.9
Washington	958	919	39	10.2	10.1	14.3
Wicomico	644	505	139	12.6	12.8	12.0
Worcester	289	182	107	12.1	11.7	12.9

* See footnote under Table 3.

TABLE 5. BIRTHS, FETAL DEATHS AND INFANT DEATHS BY RACE AND COUNTY, MARYLAND, 1962*

Area	Births			Fetal deaths**			Infant Deaths (under one year)		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Maryland State	67,582	50,544	17,038	1,094	711	383	1,874	1,169	705
Baltimore City	22,302	11,331	10,971	391	153	238	724	294	430
Total Counties	45,280	39,213	6,067	703	558	145	1,150	875	275
Allegany	1,949	1,922	27	32	31	1	37	37	-
Anne Arundel	5,043	4,290	753	73	57	16	111	77	34
Baltimore	10,831	10,390	441	132	121	11	219	209	10
Calvert	477	204	273	2	-	2	14	3	11
Caroline	332	230	102	-	-	-	11	5	6
Carroll	863	798	65	16	14	2	30	28	2
Cecil	1,295	1,190	105	17	17	-	35	31	4
Charles	741	406	335	10	7	3	30	11	19
Dorchester	569	333	236	14	1	13	34	14	20
Frederick	1,405	1,228	177	25	20	5	27	20	7
Garrett	428	428	-	6	6	-	11	11	-
Harford	2,189	1,919	270	47	41	6	56	48	8
Howard	939	814	125	9	7	2	26	25	1
Kent	325	225	100	11	5	6	15	8	7
Montgomery	5,188	4,672	516	98	85	13	127	109	18
Prince Georges	6,489	5,415	1,074	102	72	30	200	142	58
Queen Annes	361	252	109	-	-	-	16	7	9
Saint Marys	1,360	1,031	329	14	7	7	33	16	17
Somerset	392	184	208	7	3	4	11	5	6
Talbot	453	302	151	25	17	8	11	4	7
Washington	1,915	1,867	48	29	27	2	42	40	2
Wicomico	1,210	852	358	30	19	11	35	22	13
Worcester	526	261	265	4	1	3	19	3	16

* See footnote under Table 3.

** Fetal deaths are recorded if 20 weeks gestation or longer.




TABLE 6. BIRTH RATES, FETAL DEATH RATES AND INFANT MORTALITY RATES, BY RACE AND COUNTY, MARYLAND, 1962*

Area	Birth Rates (Per 1,000 Population)			Fetal Death Rates** (Per 1,000 Total Births)			Infant Mortality Rates (Per 1,000 Live Births)		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Maryland State	20.8	18.7	31.2	15.9	13.9	22.0	27.7	23.1	41.4
Baltimore City	23.9	19.1	32.3	17.2	13.3	21.2	32.5	25.9	39.2
Total Counties	19.5	18.5	29.5	15.3	14.0	23.3	25.4	22.3	45.3
Allegany	23.5	23.5	22.7	16.2	15.9	35.7	19.0	19.3	-
Anne Arundel	22.6	22.4	23.6	14.3	13.1	20.8	22.0	17.9	45.2
Baltimore	20.3	20.1	25.3	12.0	11.5	24.3	20.2	20.1	22.7
Calvert	28.6	21.1	38.9	4.2	-	7.3	29.4	14.7	40.3
Caroline	16.8	14.7	25.1	-	-	-	33.1	21.7	58.8
Carroll	15.8	15.3	29.1	18.2	17.2	29.9	34.8	35.1	30.8
Cecil	24.9	24.4	33.4	13.0	14.1	-	27.0	26.1	38.1
Charles	21.3	17.5	29.1	13.3	16.9	8.9	40.5	27.1	56.7
Dorchester	18.9	16.0	25.3	24.0	3.0	52.2	59.8	42.0	84.7
Frederick	18.9	17.8	33.0	17.5	16.0	27.5	19.2	16.3	39.5
Garrett	21.2	21.2	-	13.8	13.8	-	25.7	25.7	-
Harford	27.0	26.3	33.8	21.0	20.9	21.7	25.6	25.0	29.6
Howard	24.4	23.7	30.5	9.5	8.5	15.7	27.7	30.7	8.0
Kent	20.4	18.8	25.1	32.7	21.7	56.6	46.2	35.6	70.0
Montgomery	13.6	12.7	37.4	18.5	17.9	24.6	24.5	23.3	34.9
Prince Georges	16.4	15.0	30.7	15.5	13.1	27.2	30.8	26.2	54.0
Queen Annes	21.1	20.2	23.7	-	-	-	44.3	27.8	82.6
Saint Marys	33.0	30.7	43.5	10.2	6.7	20.8	24.3	15.5	51.7
Somerset	20.3	15.3	28.5	17.5	16.0	18.9	28.1	27.2	28.8
Talbot	20.6	18.8	25.3	52.3	53.3	50.3	24.3	13.2	46.4
Washington	20.4	20.4	17.6	14.9	14.3	40.0	21.9	21.4	41.7
Wicomico	23.7	21.5	31.0	24.2	21.8	29.8	28.9	25.8	36.3
Worcester	22.1	16.8	32.0	7.5	3.8	11.2	36.1	11.5	60.4

* See footnote under Table 3.

** Fetal deaths are recorded if 20 weeks gestation or longer.




TABLE 7. RECORDED* BIRTHS BY RACE AND COUNTY, 1962

Area	Total	White	Nonwhite
Maryland State	67,582	50,544	17,038
Baltimore City	36,400	24,580	11,820
Total Counties	31,182	25,964	5,218
Allegany	1,979	1,952	27
Anne Arundel	2,927	2,423	504
Baltimore	43	35	8
Calvert	458	170	288
Caroline	15	2	13
Carroll	554	532	22
Cecil	1,062	962	100
Charles	535	274	261
Dorchester	524	300	224
Frederick	1,462	1,269	193
Garrett	413	413	-
Harford	2,215	1,937	278
Howard	5	4	1
Kent	472	342	130
Montgomery	6,405	5,830	575
Prince Georges	5,672	4,590	1,082
Queen Annes	7	3	4
Saint Marys	1,348	1,037	311
Somerset	236	111	125
Talbot	997	682	315
Washington	1,950	1,903	47
Wicomico	1,785	1,189	596
Worcester	118	4	114

* Births are shown in the area in which they occur.

Date	Description	Amount
1890	Jan 1 Balance	100.00
1891	Feb 15	50.00
1892	Mar 1	25.00
1893	Apr 1	15.00
1894	May 1	10.00
1895	Jun 1	5.00
1896	Jul 1	2.50
1897	Aug 1	1.25

TABLE 8.
MARYLAND ESTIMATED POPULATION, BY RACE AND COUNTY, JULY 1, 1962

Area	Total	White	Nonwhite
Maryland State	3,255,198	2,709,502	545,696
Baltimore City	933,250	593,547	339,703
Total Counties	2,321,948	2,115,955	205,993
Allegany	82,966	81,776	1,190
Anne Arundel	223,057	191,190	31,867
Baltimore	533,212	515,815	17,397
Calvert	16,671	9,646	7,025
Caroline	19,737	15,681	4,056
Carroll	54,522	52,291	2,231
Cecil	51,906	48,761	3,145
Charles	34,718	23,206	11,512
Dorchester	30,084	20,769	9,315
Frederick	74,201	68,835	5,366
Garrett	20,224	20,176	48
Harford	80,954	72,977	7,977
Howard	38,454	34,353	4,101
Kent	15,920	11,939	3,981
Montgomery	381,508	367,699	13,809
Prince Georges	395,124	360,160	34,964
Queen Annes	17,072	12,467	4,605
Saint Marys	41,174	33,614	7,560
Somerset	19,345	12,059	7,286
Talbot	22,042	16,069	5,973
Washington	94,058	91,323	2,735
Wicomico	51,150	39,586	11,564
Worcester	23,849	15,563	8,286

Date	Description	Debit	Credit
1890	Jan 1	100.00	
1891	Feb 1	50.00	
1892	Mar 1	75.00	
1893	Apr 1	120.00	

DO NOT CIRCULATE

